




AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

CALIPERS



TM

Product	Description	Technical Detail	Image																																
DIGITAL CALIPER	<p>“INSIZE” Electronic Digital Caliper make inside, outside, depth and step measurements quickly & precisely with Travers' wide selection of Electronic Digital Calipers. Impervious to coolant, water, dust & oil, our Electronic Coolant Proof Calipers are easy to use ? no need to wipe or clean the scale. These calipers conveniently display readings in inch or metric form so you don't have to do math conversions in your head. Choose from many models such as shown in front;</p>	<p>A. Digital Calipers (Standard Type)</p> <ul style="list-style-type: none"> • Features: <ul style="list-style-type: none"> ➤ Resolution: 0.01mm/0.0005" ➤ Buttons: on/off, zero, mm/inch ➤ Automatic Power off, Move the Digital unit to turn on power. ➤ Battery: CR2032 ➤ Data output, meet DIN862 ➤ Made of Stainless Steel ➤ Optional Accessories: Data Output Cable. • Technical Detail <table border="1"> <thead> <tr> <th>Code</th> <th>Range</th> <th>Accuracy</th> <th>Length (mm)</th> </tr> </thead> <tbody> <tr> <td>1108-150</td> <td>0-150mm/0-6"</td> <td>±0.02mm</td> <td>236</td> </tr> <tr> <td>1108-200</td> <td>0-200mm/0-8"</td> <td>±0.03mm</td> <td>286</td> </tr> <tr> <td>1108-300</td> <td>0-300mm/0-12"</td> <td>±0.03mm</td> <td>400</td> </tr> </tbody> </table> <p>B. Digital Calipers</p> <ul style="list-style-type: none"> • Features: <ul style="list-style-type: none"> ➤ Built-in wireless data transfer module, zigbee signal. ➤ Transfer distance is 6 meter, resolution : 0.01mm/0.0005" ➤ Button: on/off, zero, mm/inch, data transfer. ➤ Automatic Power off, move the digital unit to turn on power. ➤ Battery: CR2030 ➤ Made of Stainless Steel. • Technical Detail <table border="1"> <thead> <tr> <th>Code</th> <th>Range</th> <th>Accuracy</th> <th>Length (mm)</th> </tr> </thead> <tbody> <tr> <td>1113-150</td> <td>0-150mm/0-6"</td> <td>±0.03mm</td> <td>236</td> </tr> <tr> <td>1113-200</td> <td>0-200mm/0-8"</td> <td>±0.03mm</td> <td>286</td> </tr> <tr> <td>1113-300</td> <td>0-300mm/0-12"</td> <td>±0.03mm</td> <td>400</td> </tr> </tbody> </table> <p>C. Heavy Duty 300mm Digital Calipers (Premium type)</p> <ul style="list-style-type: none"> • Features <ul style="list-style-type: none"> ➤ Resolution: 0.01mm/ 0.0005" 	Code	Range	Accuracy	Length (mm)	1108-150	0-150mm/0-6"	±0.02mm	236	1108-200	0-200mm/0-8"	±0.03mm	286	1108-300	0-300mm/0-12"	±0.03mm	400	Code	Range	Accuracy	Length (mm)	1113-150	0-150mm/0-6"	±0.03mm	236	1113-200	0-200mm/0-8"	±0.03mm	286	1113-300	0-300mm/0-12"	±0.03mm	400	
Code	Range	Accuracy	Length (mm)																																
1108-150	0-150mm/0-6"	±0.02mm	236																																
1108-200	0-200mm/0-8"	±0.03mm	286																																
1108-300	0-300mm/0-12"	±0.03mm	400																																
Code	Range	Accuracy	Length (mm)																																
1113-150	0-150mm/0-6"	±0.03mm	236																																
1113-200	0-200mm/0-8"	±0.03mm	286																																
1113-300	0-300mm/0-12"	±0.03mm	400																																






- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

		<ul style="list-style-type: none"> ➤ Buttons: on/off, zero, mm/inch. ➤ Automatic Power off, move the digital unit to turn on power. ➤ Battery: CR2032 ➤ Data Output, meet DIN862 ➤ Made of Stainless Steel. ➤ Optional accessory: data output cable. <p>• Technical Detail</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Range</th> <th>Accuracy</th> </tr> </thead> <tbody> <tr> <td>1196-300</td> <td>0-300mm/0-12"</td> <td>±0.03mm</td> </tr> </tbody> </table> <p>D. Digital Calipers (Basic type)</p> <p>• Features</p> <ul style="list-style-type: none"> ➤ Resolution: 0.01mm/ 0.0005" ➤ Buttons: on/off, zero, mm/inch. ➤ Battery: LR44 ➤ Data Output, meet DIN862 ➤ Made of Stainless Steel. <p>• Technical Detail</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Range</th> <th>Accuracy</th> <th>Length (mm)</th> </tr> </thead> <tbody> <tr> <td>1112-150</td> <td>0-150mm/0-6"</td> <td>±0.03mm</td> <td>236</td> </tr> <tr> <td>1112-200</td> <td>0-200mm/0-8"</td> <td>±0.03mm</td> <td>286</td> </tr> <tr> <td>1112-300</td> <td>0-300mm/0-12"</td> <td>±0.03mm</td> <td>400</td> </tr> </tbody> </table>	Code	Range	Accuracy	1196-300	0-300mm/0-12"	±0.03mm	Code	Range	Accuracy	Length (mm)	1112-150	0-150mm/0-6"	±0.03mm	236	1112-200	0-200mm/0-8"	±0.03mm	286	1112-300	0-300mm/0-12"	±0.03mm	400	
Code	Range	Accuracy																							
1196-300	0-300mm/0-12"	±0.03mm																							
Code	Range	Accuracy	Length (mm)																						
1112-150	0-150mm/0-6"	±0.03mm	236																						
1112-200	0-200mm/0-8"	±0.03mm	286																						
1112-300	0-300mm/0-12"	±0.03mm	400																						
DIAL CALIPER	<p>“INSIZE” Dial Calipers are capable for repeatable accuracy of inside, outside, step & depth measurements, turn to Travers' large selection of high quality dial calipers and gages. Made of stainless steel and a satin chrome finish, our Black Face Precision Dial Calipers feature an adjusting slide for fine adjustment. We also carry economy dial calipers, shock proof dial calipers, direct reading precision dial calipers, and more.</p>	<p>A. DIAL Calipers</p> <p>• Features:</p> <ul style="list-style-type: none"> ➤ Accuracy: ±0.03mm. ➤ Shockproof dial indicator. ➤ Made of Stainless Steel. ➤ Dial Indicator Graduation:0.02mm <p>• Technical Detail</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Range</th> <th>Accuracy</th> <th>Length (mm)</th> </tr> </thead> <tbody> <tr> <td>1312-150A</td> <td>0-150mm/0-6"</td> <td>±0.03mm</td> <td>236</td> </tr> <tr> <td>1312-200A</td> <td>0-200mm/0-8"</td> <td>±0.03mm</td> <td>286</td> </tr> <tr> <td>1312-300A</td> <td>0-300mm/0-12"</td> <td>±0.03mm</td> <td>400</td> </tr> </tbody> </table>	Code	Range	Accuracy	Length (mm)	1312-150A	0-150mm/0-6"	±0.03mm	236	1312-200A	0-200mm/0-8"	±0.03mm	286	1312-300A	0-300mm/0-12"	±0.03mm	400							
Code	Range	Accuracy	Length (mm)																						
1312-150A	0-150mm/0-6"	±0.03mm	236																						
1312-200A	0-200mm/0-8"	±0.03mm	286																						
1312-300A	0-300mm/0-12"	±0.03mm	400																						
VERNIER CALIPERS	<p>INSIZE” Vernier Calipers are capable for repeatable accuracy of inside, outside, step & depth measurements, made of stainless steel and a satin chrome finish reading surface.</p>	<p>A. Vernier Calipers (1205-1502S)</p> <p>• Features:</p> <ul style="list-style-type: none"> ➤ Accuracy: ±0.03mm. ➤ Graduation: 0.02mm/0.001" ➤ Meet DIN862 ➤ Made of Stainless Steel, satin chrome Plated reading surface. <p>• Technical Detail</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Range</th> <th>Accuracy</th> <th>Length (mm)</th> </tr> </thead> <tbody> <tr> <td>1205-1502S</td> <td>0-150mm/0-6"</td> <td>±0.03mm</td> <td>235</td> </tr> <tr> <td>1205-1502S</td> <td>0-200mm/0-8"</td> <td>±0.03mm</td> <td>290</td> </tr> </tbody> </table>	Code	Range	Accuracy	Length (mm)	1205-1502S	0-150mm/0-6"	±0.03mm	235	1205-1502S	0-200mm/0-8"	±0.03mm	290											
Code	Range	Accuracy	Length (mm)																						
1205-1502S	0-150mm/0-6"	±0.03mm	235																						
1205-1502S	0-200mm/0-8"	±0.03mm	290																						



AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

		<p>B. Vernier Calipers (1214-600)</p> <ul style="list-style-type: none"> • Features: <ul style="list-style-type: none"> ➢ Graduation: 0.02mm/0.001" ➢ Made of Stainless Steel. ➢ Satin Chrome Plated reading surface. <table border="1" data-bbox="603 555 1061 719"> <thead> <tr> <th>Code</th> <th>Range</th> <th>Accuracy</th> </tr> </thead> <tbody> <tr> <td>1214-500</td> <td>0-500mm/0-20"</td> <td>±0.05mm</td> </tr> <tr> <td>1214-600</td> <td>0-600mm/0-24"</td> <td>±0.05mm</td> </tr> <tr> <td>1214-1000</td> <td>0-1000mm/0-40"</td> <td>±0.08mm</td> </tr> </tbody> </table>	Code	Range	Accuracy	1214-500	0-500mm/0-20"	±0.05mm	1214-600	0-600mm/0-24"	±0.05mm	1214-1000	0-1000mm/0-40"	±0.08mm	
Code	Range	Accuracy													
1214-500	0-500mm/0-20"	±0.05mm													
1214-600	0-600mm/0-24"	±0.05mm													
1214-1000	0-1000mm/0-40"	±0.08mm													

KRISTAN

